

### Specification Detail of Model LW168TEU

Specification		
Product Model	LW168TEU	
Storage Capacity	450L	
Overall Wine Bottle Capacity (750ml Standard Bordueax)	142	
Installation Type	built-in or freestanding	
Color/Finish	black cabinet	
Primary Material	metal, stainless steal, glass, wood,	
	wire	
Door Style	double pane, tinted	
Cooling System	compressor	
Defrost System	frost free	
Anti-Vibration Technology	Yes	
Ventilation Location	Front	
Fan Type	Interior	
Humidity Control	>65%	
Integrated Lock	Yes	
Quiet Operation	43 db	
Stain Resistant	antirust coat	
Odor Resistant	activated carbon filter	
Leak-proof	water pan	
Power Input	150W	
Voltage	220-240 volts	
Frequency	50Hz	
Amperage	0.9 amperes	
Estimated Yearly Electricity Use (kWh)	199	
Country of Origin	China	
Refrigerant	R600a	
Interior Light	Yes	
Bulb Type	white LED	
Adjustable Feet	Yes (From 0 to 10mm)	
Temperature Specification		
Temperature Zones	triple zone	
Overall Minimum Temperature	5 degrees C	
Overall Maximum Temperature	22 degrees C	
First Zone Bottle Capacity	60	
First Zone Minimum Temperature	5 degrees C	

# Your Professional Home and Commercial Appliances Supplier


First Zone Maximum Temperature	22 degrees C	
Second Zone Bottle Capacity	40	
Second Zone Minimum Temperature	5 degrees C	
Second Zone Maximum Temperature	12 degrees C	
Third Zone Bottle Capacity	42	
Third Zone Minimum Temperature	12 degrees C	
Third Zone Maximum Temperature	22 degrees C	
Temperature Display Type	touch screen	
Doors		
Door Handle Design	external	
Door Swing Orientation	left	
Number of Doors	1	
Door Material	tempered glass	
Door Material Details	tinted double pane	
Door Color/Finish	stainless steel	
Door Opening Degree to Slide out Shelves	>90°	
UV Resistant	Yes	
Door Reversible	Yes	
Shelves		
Adjustable Shelves to different heights	No	
Number of Shelves	7 full shelves + 1 half shelf	
Shelving Material	beech wood	
Door slide out degree	75%	
Full shelve size (Width x Depth x Height)	478x541x25mm	
Half shelve size (Width x Depth x Height)	478x325x25mm	
Certifications Listings&Approvals		
CE Listed	Yes	
ERP New Standard	Level G	
ISO 9001 Certified	Yes	
Unit Dimension and Weight		
Overall Height - Top to Bottom	1810mm	
Overall Width - Side to Side	595mm	
Overall Depth - Front to Back	722mm	
Depth -Excluding Handles	680mm	
Interior Height - Top to Bottom	1610mm	
Interior Width - Side to Side	521mm	
Interior Depth - Front to Back	544mm	
Door Height - Top to Bottom	1689mm	
Door Width - Side to Side	595mm	
Door Depth - Front to Back	33mm	
Depth With Door Open at 90 Degrees	1246mm	
	· · · ·	

# Your Professional Home and Commercial Appliances Supplier

615mm		
710mm		
1820mm		
91.5KG		
102.5KG		
1974mm		
660mm		
770mm		
Installation and Usage		
No		
No		
No		
residential and commercial use		
No		
wipe clean with a dry cloth		
No		
Warranty		
1 year		
1 year		
What in the Box		
1 unit		
1 pc		
2 pcs		
1 pc		




#### The Smallest Space Left for Installing LW168TEU





#### **Storage Capacity**



USF-168T


The bottle capacity is for standard Bordeaux 750ml bottles which are approximately 2.75" in diameter. Storing large and/or oddly shaped bottles (including champagne and sparkling wine bottles) should remove at least 1 shelf (shelves is removable) and will decrease the number of bottles you are able to store in your wine cooler.



**Energy Guide** 



### 199 kWh/annum



2019/2016